

✓
07.01-09/21/95 00690

(804) 322-4778

5090
18222:RNS:cag
21 SEP 1995

U.S. Environmental Protection Agency
VA/WV Superfund Federal Facilities Section
Region III,
Attn: Mr. Robert G. Thomson, P.E.
Remedial Project Manager (3HW71)
841 Chestnut Building
Philadelphia, Pennsylvania 19107

Re: Response to Comments on the Draft 1996 - 1997
Site Management Plan Naval Weapons Station Yorktown,
Yorktown, Virginia

Dear Mr. Thomson:

The Navy is pleased to provide responses to comments for the
subject report.

If you have any questions concerning the responses to your
comments on the Draft Round Two Remedial Investigation Report
Sites 4 and 21, please contact Mr. Richard Stryker at
(804) 322-4778.

Sincerely,

N. M. JOHNSON, P.E.
Head
Installation Restoration Section
(North)
Environmental Programs Branch
Environmental Quality Division
By direction of the Commander

Enclosure

Copy to:
VDEQ (Mr. Steve Mihalko)
WPNSTA Yorktown (Mr. Jeff Harlow, Code 09E)
Baker Environmental, Inc. (Mr. Rich Hoff)

Blind copy to:
1822 (RNS)
1822 (Admin Record)
1826
18S
SMP96-97.epa

**Response to Comments Submitted by USEPA Region III
On the Draft 1996 - 1997 Site Management Plan
Naval Weapons Station Yorktown
Yorktown, Virginia
USEPA Comment Letters dated July 18 and 19, 1995**

General Comments

1. The Navy will include a table which compiles a listing of the Draft, Draft Final, and Final primary and secondary deliverable due dates. The table lists the documents by the month of the anticipated submittal date and also includes the review completion dates for USEPA and VDEQ.
2. Site-Screening Area 21, Roosevelt Pond, will be added to the text and Table 2-1 in the Draft Final 1996-1997 Site Management Plan.